



Ports Guide of Rostock

Last update January, 23rd 2018



Ports Guide of Rostock Germany

to whom it may concern

UNCTAD code: DERSK; Port ID Number: 20072
IALA World VTS Guide Germany Page No. ZWD 1-2
Time Zone: GMT +1 Max. Draft: 13,00m

Publications:

Charts: INT 1355, Admiralty 2370

Books: Admiralty Pilot NP18 "Kattegat to Baltic Sea"

Admiralty List of Lights NP 74

Admiralty List of Radio Signals NP 281(1); Vol 3(1); Vol (6(2)

ROSTOCK HARBOUR

Facilities for :

* bulk * dry cargo * ro-ro * liquid * gas * passenger * multipurpose *

- A General Overview -

The harbour(s) of Rostock consists of:

1. Überseehafen Rostock (also named "Overseas port" including Oil Harbour)
2. Rostocker Fracht- und Fischereihafen (also named "Fishery Port")
3. Stadthafen (Old City Port)
4. Warnemuende Passenger Quays (Cruise Liner Terminal)
5. Metallaufbereitung Rostock (also named "MAB")
6. YARA Rostock (Chemical Harbour)
7. Maritimes Gewerbegebiet Gross Klein (also named MAGEB)
8. Yachthafen Hohe Duene

Port Authority

Hafen- und Seemannsamt Rostock

PO-Box 48 10 46

18132 Rostock

Tel: +49 (381) 381 8700 or +49 (381) 381 8710

Fax: +49 (381) 381 8735 or +49 (381) 6740 291

VHF ch 10 call "Rostock Harbour"

Internet: [hppt://www.rostock.de/](http://www.rostock.de/)

E-Mail: port.authority@rostock.de

Location

Rostock is situated in the W-part of the Baltic Sea, at the mouth of the river Warnow,
Lat: 54°09'N Long: 012°06'E.

Rostock is the principal port of Mecklenburg-Vorpommern. The yearly handling results are
appr. 26 million tonnes.

Tidal range and flow: Tide is imperceptible, but strong winds from S directions may lower and gales from N directions may raise the water level up to +/- 1.5m.

Weather: *Prevailing winds:* Westerly

Ice: The River and the shallow waters in the estuary normally freeze in the winter, but the channels are kept open as long as possible, and the ports are seldom closed.

Density: The water in the estuary and in the port of Rostock is fresh to brackish with a density varying from 1006 to 1009 kg/m³.

Restrictions and Shipmax

No obstacles, no locks, bridges etc.; no restrictions for entering at night normally.

Generally the Port of Rostock can accommodate vessels of LOA 330m and or beam 50m ;

Ports Guide of Rostock Germany

draught 13,00m, but vessels exceeding LOA 230m and or beam 36m and or draught 12,00m are requested to obtain permission from Waterway and Shipping Board. Vessels bound for Fracht- und Fischereihafen exceeding LOA 125m and or beam 17,5m and or draught 7,50m; for Old City Port exceeding draught 5,50 are also requested to obtain permission from Waterway and Shipping Board.

Anchorage

In the roads, 4-6nm NW of Warnemunde, there are two recommended anchorages in depths of 13-17m, bottom mud and sand. They are unsheltered from W, N and NE winds. Anchorage No.2 is reserved for tankers, vessels with dangerous cargo and for bunkering; Anchorage No.1 for other vessels.

Traffic Schemes

Sea buoys, fairways and channels: River Warnow is approached from the Bay of Mecklenburg through a buoyed and lighted fairway channel, 5nm in length, 14,50m depth, leading to Warnemuende and a sea channel leading to Seehafen Rostock.

Traffic Organisation Service (VTS Centre)

"Warnemuende Traffic", situated in Warnemuende, continuously controls all movements between the approach buoy and the Rostock harbours and should be contacted via VHF ch 73 as soon as possible (normally two hours before approach buoy).

Tel: +49 (381) 206 71 841
Fax: +49 (381) 206 71 845

ETA

Arrival notification, port notification and departure notification are parts of required notifications according to respective federal or federal state laws or regulations and could be delivered directly and legally binding to the respective responsible authorities either via the web-based reporting client of the "National Single Window" or via reporting interfaces (port community information systems) of the "National Single Window" announced in the "Verkehrsblatt" (transport gazette) for the federal government. More Informations on www.national-single-window.de.

Pilot

1. Compulsory for tankers (oil, chemical, gas).
2. Compulsory for vessels in an area N of Berth No 60 (Überseehafen) with following dimensions:
Loa 100.00m or Breadth 15.00m or Draught 7.50m and more.
3. Compulsory for vessels in direction of Rostocker Fracht- und Fischereihafen with following dimensions:
Loa 80.00m or Breadth 11.00m or Draught 6.00m and more.
4. Compulsory for vessels in an area south or east of Rostocker Fracht- und Fischereihafen with following dimensions:
Loa 60.00m or Breadth 10.00m or Draught 4.50m and more.

Pilotage exemptions are possible in area N of Berth No 60 for vessels up to:
length over all 120.00m, breadth 19.00m and draught 8.00m.

The Pilot Station is situated in Warnemunde. Pilots are available throughout 24 hours. Pilot station monitors VHF ch 14, call "Warnemunde Pilot". Send message three hours before pilot position with following contents:

Name of the ship, call sign, length over all, breadth, gross tonnage, draught, port of call, ETA to boarding position.

Pilot will board by pilot boat near following positions:

- Vessels with a draught 11.58m and more Lat 54°17.0'N, Long 012°00.0'E
- Vessels with a draught 06.50m and more Lat 54°14.5'N, Long 012°02.3'E
- Vessels with a draught not more 06.50m Lat 54°12.5'N, Long 012°02.4'E.

The distance from farthest boarding point to anchorage No. 1 is 3sm; to Rostock-Warnemünde break waters 6.5sm, to turning bassin Überseehafen 8,5sm, to Stadthafen 13sm.

Helicopter pilotage operations are normally not in process.

Ports Guide of Rostock Germany

Pilotage Company

Lotsenbrüderschaft "WIROST"

An der See 10a

18119 Warnemünde

Tel: +49 (381) 2060 380

Fax: +49 (381) 2060 301

Internet: <http://www.rostockpilot.de>

E-Mail: info@RostockPilot.de

Duty Pilot:

VHF ch 14 call "Warnemunde Pilot"

Tel: +49 (381) 2060 350

Fax: +49 (381) 2060 351

Towage

Tugs available up to approx 40 tons bollard pull.

Towage is compulsory as follows:

- Old City Port, RFH (Fishery Port), MAB, Müsing Kai, MAGEB
 - Ships from LOA 90 m 1 tug
 - Ships from LOA 140 m 2 tugs
- Warnemünde, Überseehafen
 - Ships from LOA 110 m 1 tug
 - Ships from LOA 160 m 2 tugs
 - Ships from LOA 200 m 3 tugs
- Oilharbour, Chemical Harbour
 - Ships from LOA 100 m 1 tug inward and outbound
 - Ships from LOA 145 m 2 tugs inward-bound / 1 tug outward-bound
 - Ships from LOA 160 m 2 tugs inward and outbound
 - Ships from LOA 185 m 3 tugs inward-bound / 2 tugs outward-bound
 - Ships from LOA 200 m 3 tugs inward and outbound

Towage Companies

Fairplay

Tel: +49 (381) 548 31 35

Fax: +49 (381) 548 31 50

Bugsier

Tel: +49 (40) 311 11 0

Fax: +49 (40) 313 69 3

Otto Wulf

Tel: +49 (381) 811 25 33

Fax: +49 (381) 811 25 34

Mooring Service

Vessels have to take mooring service from BRZ 1000 upwart.

Radio

Warnemünde Traffic

VHF Channel 73 VTS

Warnemünde Pilot

VHF Channel 14 Pilotage

Rostock Harbour

VHF Channel 10 [Port Authority, Portcontrol in all Rostock Harbours](#)

Marienehe Port

VHF Channel 13 Port Operation in the Fishery Port

Ports Guide of Rostock Germany

Documents

Customs:	Cargo Manifest, Ship Stores List, Crew Effect List
Port Authority:	International Tonnage Certificate 1969 (ITC 69), Classification Certificate
Immigration, Port Health Authority:	are parts of required notifications according to respective federal law and could be delivered directly and legally binding to the respective responsible authorities either via the web-based reporting client of the "National Single Window" or via reporting interfaces (port community information systems) of the "National Single Window" announced in the "Verkehrsblatt" (transport gazette) for the federal government. More Informations on www.national-single-window.de .

Security

Coast Guard / Police

contact by VHF ch 73 -Warnemünde Traffic (VTS-Centre) - or VHF ch 10 -Rostock Harbour-(Port Authority)

Maritime Emergency

Rostock-Warnemünde is part of the Maritime Emergency Response Concept of the German Government in the Baltic Sea (contact by Warnemünde Traffic -VTS-Centre-). There is located one rescue station equipped with a fast rescue boat and one emergency tug.

Fire Fighting

Shore and water based fire brigade available.

ISPS

Ports (see GISIS: Maritime Security) are operating according ISPS.

Dangerous Cargo

Dangerous Cargo can be handled, prior notice to Port Authority is compulsory.

Port State Control

Port State Controls are undertaken.

Garbage-, Sludge-, Dirty Ballast Removal

Removal facilities are available. The disposal of waste, of oily residues/mixtures and other substances from ships are subject to international and European law.

The form "Notification for ship-generated waste and cargo residues" can be downloaded at the homepage <http://www.rostock.de/hafenamt> .

For specific information please contact the port agents (see attached list) or Port Authority.

Veterinary Station

Handling of animal products and live animals are available; prior the permission of veterinary station is compulsory.

Diving

Diving operations can be undertaken. There are several diving companies in Rostock.

Repair Facilities

Repair work can be undertaken. There are several companies in Rostock.

Ports Guide of Rostock Germany

Bunkering

Bunkers can be supplied in the anchorage no. 2, in the harbours via barge or truck.

Fresh Water

Fresh water can be supplied via wharf. Please contact the port agents (see attached list) or port operators.

Ship Suppliers

There are several ship suppliers in Rostock.

Sea charts and books

Nautischer Dienst Kapitän Stegmann Seekarten AVB-Stelle

Tel: +49 (381) 670 05 70

Fax: +49 (381) 670 05 71

E-Mail: naudi.rostock@naudi.de

Medical Facilities

All medical services available in the town of Rostock.

Seaman's Mission

Seamen's Club "Hollfast"

PO-Box 481028

18132 Rostock

Tel: +49 (381) 6700 431

Fax: +49 (381) 6700 432

Internet: <http://www.seemannsmission-rostock.de>

E-Mail: rostock@seemannsmission.org

Consuls

Austria, Czech Republic, Denmark, Finland, Hungary, Island, Latvia, Norwegian, Sweden, Uruguay,

Banks

All important German banks and some international banks are established in Rostock.

Communication

The Port is linked to the general road/expressway and railway system. Extensive ferry services to baltic ports.

Transport: *Nearest airports:* Rostock-Laage - 40km; Berlin - 250km; Hamburg - 180km
 Nearest railway: direct connection

Public Holidays

Jan 1, Good Friday, Easter Sunday and Monday, Whit Sunday/Monday, Ascension Day, Labour Day (May 1), Day of Reunification (Oct 3), Oct 31., Dec 25 and 26.

Ports Guide of Rostock Germany

PORTS, BERTHS and CARGO

1. Seehafen Rostock:

Überseehafen (Overseasport) including Oil Harbour is the main Port of Rostock and offers the whole range of facilities of a modern port. A large variety of rail-mounted shore side cranes are available provided with attachments for handling unitised cargo, steel coils, paper reels, containers, vehicles and bulk cargo.

Port Operator: Rostock Port GmbH

Port Development Company
Ost-West-Str. 32
18147 Rostock
Tel: +49 (381) 350 0
Fax: +49 (381) 350 5515
Internet: <http://www.rostock-port.de>
E-Mail: info@rostock-port.de

Euroports Germany GmbH & Co.KG

Cargo Handling Company
Am Hansekai 14
18147 Rostock
Tel: +49 (381) 66 62 0
Fax: +49 (381) 66 62 105
Internet: <http://www.portofrostock.de>
E-Mail: info@euroports.de

Arrangement Office
(Central Disposition):
Tel: +49 (381) 350 5080
Fax: +49 (381) 350 5085

Berth Max draft (m) Usage

Oil-Harbour

No 01 5.30
No 02 5.30
No 03 13.00
No 04 11.60
No 05 11.00
No 06 13.00

Bassin C

No 10 8.80 Heavy Generals
No 12 10.35 Fertilizers
No 13 13.00 Grain
No 14 13.00 Heavy Generals
No 15 10,80
No 16 10.35 Grain, Stones
No 17 13.00 Grain
No 18 13.00

Bassin B

No 21 10.10 Stones
No 22 10.10
No 23 10.10 Coal
No 24 13.00
No 25 10.00 Heavy Generals
No 30 7.50 Generals
No 31 9.00
No 32 9.00
No 33 9.20 Cement
No 34 9.40 Generals
No 35 8.85 Cement
No 36 8.40 Generals
No 37 8.40

Berth Max draft (m) Usage

Bassin A

No 41 9.30 Generals
No 42 9.30
No 43 9.80
No 44 9.80
No 45 9.80 Wind Energy Plant
No 46 8.80 Generals
No 50 8.65
No 51 8.85
No 52 8.85
No 53 9.30 Ferry-Terminal
No 54 10.00
No 55 7.00

Warnow Quay

No 60 9.00 Ro-Ro-Terminal
No 61 10.00
No 62 7.90
No 63 9.45
No 64 8.10 Ferry Terminal
No 65 7.10
No 66 8.90
No 67 8.00

Ports Guide of Rostock Germany

GISIS-Code:

Oilharbour: DERSK - 0005
Ferry-Terminal: DERSK - 0006
Ro-Ro-Terminal: DERSK - 0012
General and Bulk: DERSK - 0016

Cargo Handling and Facilities

The above ship berths are available on more than 11.000 meters of quayside. The port is equipped with modern ship handling equipment and special facilities for example:

Ship unloaders for discharging coal; Cranes with hoppers for discharging coal, fertilizer, road building materials;

One ship loader connected to the warehouse by conveyor belt for loading fertilizer (urea) and calcium ammonium nitrate (CAN);

Two ship loaders (grain terminal) connected to the silos of the different shippers and
Five berths for ro-ro-vessels.

Intermodal Traffic

There are more than 30 block trains at the terminal for intermodal traffic weekly.

Ferry Services

The port has a ferry terminal with four berths offering several times daily routes to Gedser (Denmark), Trelleborg (Sweden). One of the berths are also equipped to handle railcars. A 1km long road flyover is linking the ferry terminal with the expressway A19 Rostock-Berlin and A20 (coastal expressway).

Liner Services

There are liner services in the Baltic region.

2. Rostocker Fracht- und Fischereihafen (Fishery Port):

The Port situated at the W bank of the river Wamow, halfway between Seehafen Rostock and Stadthafen used to be the home port of Rostock's large fishing fleet. In the recent years considerable changes have taken place and the port is now able to handle a wide variety of goods, bulk cargoes, refrigerated cargoes (cold stores with a capacity of 12.000t), general cargoes, etc. The port offers berths for vessels drawing up to 8.00m in draft.

Port Operator: Rostocker Fracht- und Fischereihafen GmbH

Fischerweg 408
18069 Rostock

Tel: +49 (381) 811 2317

Fax: +49 (381) 811 2728

VHF ch 13 call "Marienehe Port"

Internet: <http://www.rfh.de>

E-Mail: info@rfh.de

Berth	Max Draft (m)	Berth	Max Draft (m)
No 1	6.00	No 18	6.00
No 2	6.00	No 19	7.50
No 3	4.00	No 20	7.80
No 4	4.50	No 21	7.80
No 5	5.00	No 22	7.80
No 6	5.00	No 23	8.00
No 7	5.50	No 24	8.00
No 8	5.50	No 25	8.00
No 9	5.20	No 26	8.00
No 10	4.00	No 27	7.00
No 11	4.80		

GISIS-Code: DERSK - 0008

Ports Guide of Rostock Germany

3. Stadthafen (Old City Port):

The port is situated in the centre of the town on the S bank of river Warnow. No cargo handling takes place. The quays are used for medium sized passenger vessels, river craft and local traffic as well as yachts.

Port Operator: Hafen- und Seemannsamt Rostock
PO-Box 48 10 46
18132 Rostock
Tel: +49 (381) 381 8710
Fax: +49 (381) 381 8735 or +49 (381) 6740 291
VHF ch 10 call "Rostock Port"
Internet: [hppt://www.rostock.de/hafenamt](http://www.rostock.de/hafenamt)
E-Mail: port.authority@rostock.de

Berth	Max Draft(m)	Berth	Max Draft(m)
No 71	3.80	No 83 S	3.40
No 72		No 84	3.40
No 73	4.40	No 85	3.40
No 74	4.40	No 86	3.10
No 75	3.10	No 87	3.10
No 78	3.10	No 88	2.80
No 79	4.40	No 89	2.80
No 80	4.40	No 90	2.80
No 81	4.40	No 91	2.80
No 82	4.20	No 92	2.10
No 83	4.20	No 93	0.60
No 83 E	4.20	No 94	0.60

4. Warnemuende Passenger Quays (Cruise Liner Terminal):

Warnemuende offers berths for passenger vessels. Largest vessel ever handled: LOA = 330m.

Port Operator: Hafen-Entwicklungsgesellschaft
Rostock mbH
HERO
POB 48 12 40
18134 Rostock
Tel: +49 (381) 350 4000
Fax: +49 (381) 350 4005
Internet: <http://www.rostock-port.de>
E-Mail: info@rostock-port.de

Berth No	Max Draft (m)	Berth No	Max Draft (m)	Berth No	Max Draft (m)
P 1	7.30	P 5	7.30	P8 A	7.80
P 2	7.30	P 6	6.60		
P 3	7.30	P 7	9.00		
P 4	7.30	P 8	9.00		

GISIS-Code: DERSK - 0014

In Warnemünde are also quays used for medium sized passenger vessels, river craft and local traffic as well as yachts. The marina "Alter Strom" offers berths with drafts up to 2,70m but Loa max 28,6m.

Ports Guide of Rostock Germany

5. Metallaufbereitung (MAB):

The quay of MAB is situated at the W bank of the river Warnow adjacent to Rostocker Fischereihafen and offers berths with drafts up to 5.49 m. The quay is used entirely for handling bulk cargoes.

Port Operator: ALBA Metall Ost GmbH
Werkstraße 1
18069 Rostock
Tel: +49 (381) 80906 0
Fax: +49 (381) 80906 24
Internet: www.alba.info

Berth No	Max Draft (m)
1	5.49
2	5.49
3	5.49
4	5.49

GISIS-Code: DER SK - 0007

6. YARA (Chemical Harbour):

The port is situated close to Seehafen Rostock in a dredged basin N of the oil harbour and offers one berth for gas tankers (ammonia) with a draft of up to 9.30m.

Port Operator: YARA Rostock
Zweigniederlassung der YARA GmbH & Co. KG
Po-Box 102021
18004 Rostock
Tel: +49 (38202) 53-0
Fax: +49 (38202) 53-110
Internet: <http://www.yara.de>
E-mail: yara.rostock@yara.com

Berth No	Max Draft (m)
No 07	9.30

GISIS-Code: DER SK - 0011

7.1 Maritimes Gewerbegebiet Gross Klein (MAGEB -N):

The quay of MAGEB-N is situated at the W bank of the river Warnow southerly the shipyard in Warnemünde. The quay is used mainly for shipbulding and outfit by shipyard *Neptun Werft GmbH* and handling of vessels laden with generals.

Port Operator: Hafen- und Seemannsamt Rostock
PO-Box 48 10 46
18132 Rostock
Tel: +49 (381) 381 8710
Fax: +49 (381) 381 8735 or +49 (381) 6740 291
VHF ch 10 call "Rostock Harbour"
Internet: [hppt://www.rostock.de/hafenamt](http://www.rostock.de/hafenamt)
E-Mail: port.authority@rostock.de

Berth Length (m)	Max Draft (m)
245	6.40

GISIS-Code: DER SK - 0015

Ports Guide of Rostock Germany

7.2 Maritimes Gewerbegebiet Gross Klein (MAGEB -S):

The quay of MAGEB-S is situated at the W bank of the river Warnow southerly the shipyard in Warnemünde and southerly of MAGEB-N. The quay is used mainly for handling generals.

Port Operator: Hafen- und Seemannsamt Rostock
PO-Box 48 10 46
18132 Rostock
Tel: +49 (381) 381 6644
Fax: +49 (381) 381 8735 or +49 (381) 6740 291
VHF ch 10 call "Rostock Harbour"
Internet: [hppt://www.rostock.de/hafenamt](http://www.rostock.de/hafenamt)
E-Mail: port.authority@rostock.de

Berth Length (m)	Max Draft (m)
247	7,80

8. Yachthafen Hohe Duene:

This Yachtharbour ist situated easterly of the breakwaters Warnemuende and its sheltered with an own breakwater system. It offers all together 750 berthing places. Max. Draft is 3,50m; Max. Loa is 60m.

Port Operator: Kongresshotel Rostock GmbH
Am Yachthafen 1
18119 Rostock
Tel: +49 (381) 5040 8000
Fax: +49 (381) 5040 8099
Internet: [hppt://www.kongresshotel-rostock.de](http://www.kongresshotel-rostock.de)
E-Mail: event@kongresshotel-rostock.de

Please Note:

In case you need detailed or special information please contact one of the above mentioned port operator, cargo handling company or following port agent.

Ports Guide of Rostock Germany

List of some Port and Line Agents:

Name	Address	Zipcode / City	Phone	Fax
			+49 (381)...	
Ahlmann-Zerssen GmbH	Ost-West-Straße 5	18147 Rostock	673 33 33	673 33 44
Baltic Lloyd	POB 48 11 52	18133 Rostock	666 139 0	666 139 11
BALTIMAR Schiffahrt u. Transport GmbH	Feldstraße 2	18182 Bentwisch	670 76 46	670 76 57
BTV Shipping & Agencies GmbH	Ost-West-Str. 5	18147 Rostock	675 23 77	675 23 78
COE Shipping	Am Belowberg 1	18146 Nienhagen	666 47180	666 47181
CST Comet	Ost-West-Str. 5	18147 Rostock	670 0052	670 0060
Frachtcontor Junge & Co.	POB 48 12 18	18134 Rostock	669 1790	669 17915
HCRöver Maritime Agency GmbH	Feldstraße 2	18182 Bentwisch	670 09 72	670 09 74
K+S Transport	POB 48 11 15	18133 Rostock	03841 250 177	03841 250 179
Meerpahl & Meyer GmbH	POB 48 11 41	18133 Rostock	670 02 84	670 02 83
Ostsee Mineralöl Bunker GmbH	Thomas-Mann-Str. 20	18055 Rostock	252 23 0	252 23 16
Rostocker Zementumschlagsgesellschaft	Ost-West-Str. 12	18147 Rostock	673 00 42	673 00 44
Sartori & Berger GmbH	POB 48 10 22	18132 Rostock	670 89 0	670 89 10
Scandlines Deutschland	Zum Fährterminal 1	18147 Rostock	207 3322	207 3323
SCAN-Shipping GmbH	Feldstraße 2	18182 Bentwisch	670 06 00	670 06 03
SK Schiffahrtskontor GmbH	Neuer Markt 17	18055 Rostock	403 15 0	403 15 10
Schultz Shipping GmbH	Am Getreidehafen 3	18147 Rostock	670 04 14	670 04 13
Stena-Line	Zum Fährterminal 1	18147 Rostock	203 55 455	203 55 202
TT-Line c/o Rostock Ferry Services	Am Warnowkai 8	18147 Rostock	670 79 0	670 79 80
United Shipping Agency	Bürohaus am Seehafen	18147 Rostock	795 57 96	548 69 86